

[54] **TRANSDERMALLY ABSORBABLE WATER-CONTAINING PREPARATIONS OF ARYLPROPIONIC ACID DERIVATIVES AND PROCESS FOR PREPARING SAME**

[75] Inventors: **Manfred Löhner, Bonn; Hans H. Wagener, Meckenheim, both of Fed. Rep. of Germany**

[73] Assignee: **Dolorgiet Beteiligungs-GmbH, Fed. Rep. of Germany**

[21] Appl. No.: **101,532**

[22] Filed: **Nov. 16, 1987**

**Related U.S. Application Data**

[63] Continuation-in-part of Ser. No. 887,958, Jul. 22, 1986, abandoned.

[30] **Foreign Application Priority Data**

Sep. 12, 1985 [DE] Fed. Rep. of Germany ..... 3532562

[51] Int. Cl.<sup>4</sup> ..... **A61K 31/19; A61K 31/61**

[52] U.S. Cl. .... **514/163; 514/356; 514/570; 514/944; 514/947**

[58] Field of Search ..... **514/570, 163**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,740,421 6/1973 Scholka .
- 4,511,563 4/1985 Schmolka ..... 514/162
- 4,533,546 8/1985 Fishi et al. .... 424/81
- 4,534,980 8/1985 Itoh et al. .... 514/570
- 4,555,524 11/1985 Gruber et al. .... 514/570

**FOREIGN PATENT DOCUMENTS**

- 0072462 2/1983 European Pat. Off. .
- 0178436 4/1986 European Pat. Off. .
- 1617480 4/1972 Fed. Rep. of Germany .
- 2708152 9/1977 Fed. Rep. of Germany .

**OTHER PUBLICATIONS**

"Rote Liste 1985", Herausgeber: Bundesverband der Pharmazeutischen Industrie e. V., 6000 Frankfurt Germany, 9/9/1985.

Chemical Abstracts, vol. 104, p. 392, May 13, 1986.

Chemical Abstracts, vol. 10, No. 178, (C-355)[2234] 6/21/1986, European Search Report.

*Primary Examiner*—Leonard Schenkman

*Attorney, Agent, or Firm*—Wegner & Bretschneider

[57] **ABSTRACT**

Transdermally absorbable water-containing preparations of therapeutically active arylpropionic acid derivatives comprises 1 to 15% by weight of such active ingredient, from 10 to 40% by weight of polyoxyethylene polyoxypropylene copolymers, from 10 to 50% by weight of one or more physiologically acceptable organic solvents, optionally up to 1% by weight of preservatives, colorants and/or perfumes, and at least 10% by weight of water. From polyoxyethylene polyoxypropylene copolymers having a relative molecular weight of more than 6,000 there may also be prepared gels, if certain ratios of amounts are chosen.

**16 Claims, 1 Drawing Sheet**