US005874500A

United States Patent [19]

Rhee et al.

[11] **Patent Number: 5,874,500**

[45] **Date of Patent: Feb. 23, 1999**

[54] **CROSSLINKED POLYMER COMPOSITIONS AND METHODS FOR THEIR USE**

[75] Inventors: **Woonza M. Rhee**, Palo Alto; **Frank A. DeLustro**, Belmont; **Richard A. Berg**, Los Altos, all of Calif.

[73] Assignee: **Cohesion Technologies, Inc.**, Palo Alto, Calif.

[21] Appl. No.: **769,806**

[22] Filed: **Dec. 18, 1996**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 573,799, Dec. 18, 1995, abandoned.

[51] **Int. Cl.**[6] **C08F 283/00**; C08G 63/91; C08G 69/48

[52] **U.S. Cl.** **525/54.1**; 525/419; 525/420; 525/425

[58] **Field of Search** 525/54.1, 419, 525/420, 425

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,619,371	11/1971	Crook et al. .
3,742,955	7/1973	Battista et al. .
3,788,948	1/1974	Kegadal et al. .
3,810,473	5/1974	Cruz, Jr. et al. .
3,876,501	4/1975	Hanushewsky .
3,949,073	4/1976	Daniels et al. .
3,960,830	6/1976	Bayer et al. .
4,002,531	1/1977	Royer .
4,055,635	10/1977	Green et al. .
4,088,538	5/1978	Schneider .
4,101,380	7/1978	Rubinstein et al. .
4,164,559	8/1979	Miyata et al. .
4,179,337	12/1979	Davis et al. .
4,192,021	3/1980	Deibig et al. .
4,238,480	12/1980	Sawyer .
4,261,973	4/1981	Lee et al. .
4,279,812	7/1981	Cioca .
4,301,144	11/1981	Iwashita et al. .
4,314,380	2/1982	Miyata .
4,320,201	3/1982	Berg et al. .
4,357,274	11/1982	Werner .
4,390,519	6/1983	Sawyer .
4,404,970	9/1983	Sawyer .
4,412,947	11/1983	Cioca .
4,412,989	11/1983	Iwashita .
4,414,147	11/1983	Klibanov et al. .
4,415,628	11/1983	Cioca et al. .
4,415,665	11/1983	Mosbach et al. .
4,424,208	1/1984	Wallace et al. .
4,451,568	5/1984	Sneider et al. .
4,488,911	12/1984	Luck et al. .
4,495,285	1/1985	Shimizu et al. .
4,496,689	1/1985	Mitra .
4,515,637	5/1985	Cioca .
4,544,516	10/1985	Hughes et al. .
4,553,974	11/1985	Dewanjee .
4,557,764	12/1985	Chu, II .
4,563,350	1/1986	Nathan et al. .
4,563,351	1/1986	Caslavsky et al. .
4,563,490	1/1986	Stol et al. .
4,578,067	3/1986	Cruz, Jr. .
4,582,640	4/1986	Smestad et al. .
4,592,864	6/1986	Miyata et al. .
4,600,533	7/1986	Chu .
4,642,117	2/1987	Nguyen .
4,655,980	4/1987	Chu .

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

2134744	5/1995	Canada .
0013249	1/1980	European Pat. Off. .
0042253	12/1981	European Pat. Off. .
0154447	9/1985	European Pat. Off. .
0157359	10/1985	European Pat. Off. .
0171176	2/1986	European Pat. Off. .
0243179	10/1987	European Pat. Off. .
0330389	8/1989	European Pat. Off. .
0341007	11/1989	European Pat. Off. .

(List continued on next page.)

OTHER PUBLICATIONS

Dialog® English Abstract of French Patent No. 2,628,634 (Sep. 22, 1989).

Abuchowski et al., "Alteration of immunological properties of bovine serum albumin by colvaent attachment of polyethylene glycol," *J. Biol. Chem.,* 252(11):3578–3581 (Jun. 10, 1977).

Abuchowski et al., "Cancer therapy with chemically modified enzymes. I. Antitumor properties of polyethylene glycol–asparaginase conjugates," *Cancer Biochem. Biophys.,* 7:175–186 (1984).

Abuchowski et al., "Effect of covalent attachment of polyethylene glycol on immunogenicity and circulating life of bovine liver catalase," *J. Biol. Chem.,* 252(11):3582–3586 (Jun. 10, 1977).

(List continued on next page.)

Primary Examiner—Nathan M. Nutter
Attorney, Agent, or Firm—Fish & Richardson P.C.

[57] **ABSTRACT**

Crosslinked polymer compositions comprise a first synthetic polymer containing multiple nucleophilic groups covalently bound to a second synthetic polymer containing multiple electrophilic groups. The first synthetic polymer is preferably a synthetic polypeptide or a polyethylene glycol that has been modified to contain multiple nucleophilic groups, such as primary amino (—NH_2) or thiol (—SH) groups. The second synthetic polymer may be a hydrophilic or hydrophobic synthetic polymer which contains, or has been derivatized to contain, two or more electrophilic groups, such as succinimidyl groups. The compositions may further comprise other components, such as naturally occurring polysaccharides or proteins (such as glycosaminoglycans or collagen) and/or biologically active agents. Also disclosed are methods for using the crosslinked polymer compositions to effect adhesion between a first surface and a second surface; to effect tissue augmentation; to prevent the formation of surgical adhesions; and to coat a surface of a synthetic implant.

34 Claims, 18 Drawing Sheets