



US009408702B2

(12) **United States Patent**  
**Metzger**

(10) **Patent No.:** **US 9,408,702 B2**  
(45) **Date of Patent:** **\*Aug. 9, 2016**

(54) **PIVOTING TIBIAL TRAY**

USPC ..... 623/20.14, 20.15, 20.16, 20.17, 20.21,  
623/20.22, 20.23, 20.24, 20.25, 20.26,  
623/20.27, 20.28, 20.29, 20.3, 20.31, 20.32,  
623/20.33, 20.34

(71) Applicant: **Biomet Manufacturing, LLC**, Warsaw,  
IN (US)

(72) Inventor: **Robert Metzger**, Wakarusa, IN (US)

(73) Assignee: **Biomet Manufacturing, LLC**, Warsaw,  
IN (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(\* ) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.  
  
This patent is subject to a terminal dis-  
claimer.

4,136,405	A	1/1979	Pastrick et al.
4,883,488	A	11/1989	Bloebaum et al.
5,019,103	A	5/1991	Van Zile et al.
5,370,693	A	12/1994	Kelman et al.
5,549,689	A	8/1996	Epstein et al.
5,871,541	A	2/1999	Gerber
6,165,223	A	12/2000	Metzger et al.
6,217,618	B1	4/2001	Hileman

(Continued)

(21) Appl. No.: **14/088,767**

(22) Filed: **Nov. 25, 2013**

FOREIGN PATENT DOCUMENTS

(65) **Prior Publication Data**

US 2014/0081412 A1 Mar. 20, 2014

EP 1582183 A1 10/2005

**Related U.S. Application Data**

*Primary Examiner* — Marcia Watkins

(63) Continuation of application No. 13/087,479, filed on  
Apr. 15, 2011, now Pat. No. 8,591,593.

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg &  
Woessner, P.A.

(51) **Int. Cl.**

**A61F 2/38** (2006.01)

**A61F 2/30** (2006.01)

(57) **ABSTRACT**

(52) **U.S. Cl.**

CPC ..... **A61F 2/3868** (2013.01); **A61F 2/389**  
(2013.01); **A61F 2002/3052** (2013.01); **A61F**  
**2002/3054** (2013.01); **A61F 2002/3055**  
(2013.01); **A61F 2002/30472** (2013.01); **A61F**  
**2002/30528** (2013.01); **A61F 2002/30542**  
(2013.01); **A61F 2002/30884** (2013.01); **A61F**  
**2002/30892** (2013.01)

A tibial component for implantation at a resected tibia. The tibial component includes a medial tray, a lateral tray, and a connection member between the medial tray and the lateral tray. A first fastener extends from the medial tray to the connection member along a first pivot axle to pivotably couple the medial tray to the connection member. A second fastener is spaced apart from the first fastener and extends from the lateral tray to the connection member along a second pivot axle to pivotably couple the lateral tray to the connection member. The medial tray and the lateral tray are configured to pivot independently of one another with respect to the connection member.

(58) **Field of Classification Search**

CPC ..... A61F 2/38; A61F 2/3836; A61F 2/3854;  
A61F 2/3868; A61F 2/3886; A61F 2/389

**12 Claims, 4 Drawing Sheets**

