United States Patent [19]

Garbe

[11] **Patent Number: 5,057,606**

[45] **Date of Patent: * Oct. 15, 1991**

[54] **FORM-IN-PLACE POLYSACCHARIDE GELS**

[75] Inventor: **James E. Garbe**, Inver Grove Heights, Minn.

[73] Assignee: **Minnesota Mining and Manufacturing Company**, St. Paul, Minn.

[*] Notice: The portion of the term of this patent subsequent to Aug. 14, 2007 has been disclaimed.

[21] Appl. No.: **301,164**

[22] Filed: **Jan. 24, 1989**

[51] **Int. Cl.**[5] **A61L 15/42;** A61L 25/00

[52] **U.S. Cl.** **536/54;** 424/44; 424/445; 604/85

[58] **Field of Search** 536/54; 424/44, 445; 604/85

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,365,183	1/1921	Moffatt	604/85
2,441,729	5/1948	Steiner	426/271
2,756,874	7/1956	Erickson et al.	206/221
2,918,375	12/1959	Gibsen	426/575
3,455,701	7/1969	Miller et al.	426/575
4,381,947	5/1983	Pellico	100/38.51
4,401,456	8/1983	Connick, Jr.	71/88
4,432,756	2/1984	Urquhart et al.	604/85
4,538,918	9/1985	Mittleman	604/85
4,613,497	9/1986	Chavkin	376/416
4,834,714	5/1989	Lascar et al.	604/85
4,948,575	8/1990	Cole et al.	424/44

FOREIGN PATENT DOCUMENTS

424956	8/1982	Sweden .
1579324	2/1976	United Kingdom .

OTHER PUBLICATIONS

Article Entitled "Improved Method for Preparation of Fruit-Simulating Alginate Gels," Claire Pelaez and Marcus Karel, from the *Journal of Food Processing and Preservation,* vol. 5, pp. 63–81 (1981).

Article Entitled "In Vitro Evaluation of Alginate Gel Systems as Sustained Release Drug Delivery Systems," from the *Journal of Controlled Release,* vol. 3, pp. 167–175 (1986).

Chemical Abstracts, vol. 83; No. 3; Jul. 21, 1975; p. 547; Abstract No. 28563y.

Chemical Abstracts, vol. 103; No. 24; Dec. 16, 1985; p. 325; Abstract No. 200899g.

Chemical Abstracts, vol. 98; No. 24; Jun. 13, 1983; p. 377; Abstract No. 20445q.

Primary Examiner—Ronald W. Griffin

Attorney, Agent, or Firm—Gary L. Griswold; Walter N. Kirn; Gregory A. Evearitt

[57] **ABSTRACT**

A method and article useful for preparing stable polysaccharide gels from aqueous solutions of water-soluble polysaccharides bearing pendant carboxylate groups. The gels produced may be of the foamed or nonfoamed variety.

26 Claims, No Drawings