

## OTHER PUBLICATIONS

- Clozel, et al., "Pathophysiological role of endothelin revealed by the first orally active endothelin receptor antagonist," *Nature*, 365:759-761 (1993).
- Cody, et al., "The rational design of a highly potent combined ET<sub>A</sub> and ET<sub>B</sub> receptor antagonist (PD 145065) and related analogues," *Med. Chem. Res.*, 3:154-162 (1993).
- de Castiglione, et al., "Alanine scan of endothelin," *Peptides: Chemistry and Biology, Proc. Amer. Pept. Symp. (Twelfth)* [J.A. Smith and J.E. Rivier, Eds.] ESCOM, Leiden, pp. 402-403 (1992).
- de Nucci, et al., "Pressor effects of circulating endothelin are limited by its removal in the pulmonary circulation and by the release of prostacyclin and endothelin-derived relaxing factor," *Proc. Natl. Acad. Sci. USA*, 85:9797-9800 (1988).
- Fujimoto, et al., "A novel non-peptide endothelin antagonist isolated from bayberry, *Myrica cerifera*," *FEBS Letters*, 305(1):41-44 (1992).
- Ishikawa et al., "Cyclic pentapeptide endothelin antagonists with high ET<sub>A</sub> selectivity. Potency and solubility-enhancing modifications," *J. Med. Chem.*, 35:2139-2142 (1992).
- Ishikawa, et al., "Endothelin antagonistic cyclic pentapeptides with high selectivity for ET<sub>A</sub> receptor," *Peptides: Chemistry and Biology, Proc. Amer. Pept. Symp. (Twelfth)* [J.A. Smith and J.E. Rivier, Eds.] ESCOM, Leiden, pp. 812-813 (1992).
- Kaltenbronn, et al., "Renin inhibitors containing isoteric replacements of the amide bond connecting the P<sup>3</sup> and P<sup>2</sup> sites," *J. Med. Chem.*, 33:838-845 (1990).
- Kimura, et al., "Structure-activity relationship of endothelin: Importance of the C-terminal moiety," *Biochem. and Biophys. Res. Comm.*, 156(3):1182-1186 (1988).
- Kloog and Sokolovsky, "Similarities in mode and sites of action of sarafotoxins and endothelins," *TIPS*, 10:212-214, date is not available.
- Maggi, et al., "Potent contractile effect of endothelin in isolated guinea-pig airways," *Eur. J. of Pharm.*, 160:179-182 (1989).
- Martin, et al., "Identification and characterization of endothelin binding sites in rat renal papillary and glomerular membranes," *Biochem. and Biophys. Res. Comm.*, 162(1):130-137 (1989).
- Miyata, et al., "WS-7338, new endothelin receptor antagonists isolated from *Streptomyces* sp. No. 7338 I. Taxonomy, fermentation, isolation, physico-chemical properties and biological activities," *J. Antibiotics*, 45(1):74-82 (1992).
- Miyata et al., "WS009 A and B, new endothelin receptor antagonists isolated from *Streptomyces* sp. No. 89009 I. Taxonomy, fermentation, isolation, physico-chemical properties and biological activities," *J. Antibiotics*, 45(7):1029-1040 (1992).
- Miyata et al., "WS009 A and B, new endothelin receptor antagonists isolated from *Streptomyces* sp. No. 89009 II. Biological characterization and pharmacological characterization of WS009 A and B," *J. Antibiotics*, 47(7):1041-1046 (1992).
- Morel, et al., "Increased plasma and pulmonary lymph levels of endothelin during endotoxin shock," *Eur. J. of Pharm.*, 167:427-428 (1989).
- Nakajima, et al., "Endothelin-binding inhibitors, BE-18257A and BE-18257B II. Structure determination," *J. Antibiotics*, 44(12):1348-1356 (1991).
- Nakajima, et al., "Structure-activity relationship of endothelin: Importance of charged groups," *Biochem. and Biophys. Res. Comm.*, 163(1):424-429 (1989).
- Nirei, et al., "An endothelin ET<sub>A</sub> receptor antagonist, FR 139317, ameliorates cerebral vasospasm in dogs," *Life Sciences*, 52(23):1869-1874 (1993).
- Nishikibe, et al., "Antihypertensive effect of a newly synthesized endothelin antagonist, BQ-123, in a genetic hypertensive model," *Life Sciences*, 52(8):717-724 (1993).
- Nogrady, "Pro-drugs and soft drugs," *Medicinal Chemistry: A biochemical Approach*, Oxford Univ. Press, N.Y., pp. 388-394 (1985).
- Ohashi, et al., "Asteric acid, a new endothelin binding inhibitor," *J. Antibiotics*, 45(10):1684-1685 (1992).
- Ösapay and Taylor, "Multicyclic polypeptide model compounds. 1. Synthesis of a tricyclic amphiphilic  $\alpha$ -helical peptide using an oxime resin, segment-condensation approach," *Amer. Chem. Soc.*, 112(16):6046-6051 (1990).
- Ösapay, et al., "Synthesis of tyrocidine A: Use of oxime resin for peptide chain assembly and cyclization," *Tetrahedron Letters*, 31(43):6121-6124 (1990).
- Palmer, et al., "Nitric oxide release accounts for the biological activity of endothelin-derived relaxing factor," *Nature*, 327:524-526 (1987).
- Ramnarayan, et al., "The effect of polarization energy on the free energy perturbation calculations," *J. Chem. Phys.*, 92(12):7057-7067 (1990).
- Saito, et al., "Application of monoclonal antibodies for endothelin to hypertensive research," *Hypertension*, 15(6)(2):734-738 (1990).
- Sakurai, et al., "Cloning of a cDNA encoding a non-isopeptide-selective subtype of the endothelin receptor," *Nature*, 348:732-735 (1990).
- Stein, et al., "The discovery of sulfonamide endothelin antagonists and the development of the orally active ET<sub>A</sub> antagonist 5-(dimethylamino)-N-(3,4-dimethyl-5-isoxazolyl)-1-naphthalenesulfonamide," *J. Med. Chem.*, 37(3):329-331 (1994).
- Stewart, et al., "Analytical techniques", *Solid Phase Peptide Synthesis*, Freeman, W.H. (Ed.), Pierce New York, pp. 105-122 (1984).
- Takayanagi, et al., "Multiple subtypes of endothelin receptors in porcine tissues: Characterization by ligand binding, affinity labeling and regional distribution," *Regulatory Peptides*, 32:23-37 (1991).
- Tomita, et al., "Plasma endothelin levels in patients with acute renal failure," *N. Eng. J. Medicine*, 321(16):1127 (1989).
- Yanagisawa and Masaki, "Endothelin, a novel endothelin-derived peptide," *Biochem. Pharm.*, 38(12):1877-1883 (1989).
- Aumelas, et al., "Determination of the structure of [Nle<sup>7</sup>]-endothelin by <sup>1</sup>H NMR," *Int. J. Peptide Protein Res.*, 37:315-324 (1991).
- Blount, et al., "The dependence of the conformations of synthetic polypeptides on amino acid composition," *J. Am. Chem. Soc.* 82:3787-3789 (1960).
- Kotelchuck & Scheraga, "The influence of short-range interactions on protein conformation, II. A model for predicting the  $\alpha$ -helical regions of proteins," *P.N.A.S.* 62:14-21 (1969).
- Pabo, et al., "Computer-Aided Model-Building Strategies for Protein Design," *Biochemistry* 25:5987-5991 (1986).
- Perkins, et al., "Proposed solution structure of endothelin," *Int. J. Peptide Protein Res.*, 36:128-133 (1990).