

[54] POROUS BIOABSORBABLE POLYESTERS

[75] Inventor: Anton Schindler, Durham, N.C.

[73] Assignee: Research Triangle Institute, Research Triangle Park, N.C.

[21] Appl. No.: 798,383

[22] Filed: Nov. 18, 1985

[51] Int. Cl.⁴ A61K 9/00; A61L 25/00

[52] U.S. Cl. 424/422; 424/423; 424/486; 424/78; 514/953; 514/964; 604/890; 604/891; 264/41; 521/64; 521/182; 523/113

[58] Field of Search 424/19, 20, 22, 32, 424/78; 514/953, 964, 965; 604/890, 891, 892; 264/41; 523/113; 521/64, 182

[56] References Cited

U.S. PATENT DOCUMENTS

3,423,491	1/1969	McLain et al.	521/64
3,887,699	6/1975	Yolles	424/22
4,076,656	2/1978	White et al.	521/64
4,148,871	4/1979	Pitt et al.	424/22

OTHER PUBLICATIONS

Gogolewski et al., "Biodegradable Materials of Polylactides, 4^a) Porous Biomedical Materials Based on Mix-

tures of Polylactides and Polyurethanes", *Makromol. Chem., Rapid Commun.*, 3, 839-845, (1982).

Gogolewski et al., "Growth of a Neo-Artery Induced by a Biodegradable Polymeric Vascular Prosthesis", *Makromol. Chem., Rapid Commun.*, 4, 213-219, (1983).

Gogolewski et al., "Resorbable Materials of Poly(L-Lactide), III, Porous Materials for Medical Application", *Colloid and Polymer Sci.* 261, 477-484, (1983).

Primary Examiner—John Kight

Assistant Examiner—Nathan M. Nutter

Attorney, Agent, or Firm—Oblon, Fisher, Spivak, McClelland, & Maier

[57] ABSTRACT

Poly lactones blended with a polyether and then shaped are leached with aqueous solution of an organic solvent such as alcohol or acetone to elute selectively the polyether and form interconnected pores within the shaped polylactone. The result is a shaped article suitable for use a reservoir for the controlled release of high molecular weight drugs.

19 Claims, 1 Drawing Figure

