U.S. PATENT DOCUMENTS

| | | | | |
|---|---|---|---|---|
| 5,266,266 | A | 11/1993 | Nason | 422/58 |
| 5,296,375 | A | 3/1994 | Kricka et al. | 435/291 |
| 5,304,487 | A | 4/1994 | Wilding et al. | 435/291 |
| 5,498,392 | A | 3/1996 | Wilding et al. | 422/68.1 |
| 5,587,128 | A | 12/1996 | Wilding et al. | 422/50 |
| 5,639,423 | A | 6/1997 | Northrup et al. | 122/50 |
| 5,726,404 | A | 3/1998 | Brody | 200/81 R |
| 5,747,349 | A | 5/1998 | van den Engh et al. | 436/172 |
| 5,786,182 | A | 7/1998 | Catanzariti et al. | 435/91.1 |
| 5,856,174 | A | 1/1999 | Lipshutz et al. | 435/286.5 |
| 5,863,502 | A | 1/1999 | Southgate et al. | 422/58 |
| 5,872,710 | A | 2/1999 | Kameyama | 363/95 |
| 5,879,635 | A | 3/1999 | Nason | 422/102 |
| 5,932,100 | A | 8/1999 | Yager et al. | 210/634 |
| 5,939,291 | A | 8/1999 | Loewy et al. | 435/91.2 |
| 5,939,312 | A | 8/1999 | Baier et al. | 435/287.2 |
| 5,955,029 | A | 9/1999 | Wilding et al. | 422/68.1 |
| 5,958,349 | A | 9/1999 | Petersen et al. | 422/198 |
| 5,971,158 | A | 10/1999 | Yager et al. | 209/155 |
| 6,007,775 | A | 12/1999 | Yager | 422/57 |
| 6,054,277 | A | 4/2000 | Furcht et al. | 435/6 |
| 6,126,804 | A | 10/2000 | Andresen | 204/601 |
| 6,180,372 | B1 | 1/2001 | Franzen | 435/91.1 |
| 6,248,294 | B1 | 6/2001 | Nason | 422/58 |
| 6,261,431 | B1 | 7/2001 | Mathies et al. | 204/601 |
| 6,277,646 | B1 | 8/2001 | Guirguis et al. | 436/165 |
| 6,303,343 | B1 | 10/2001 | Kopf-Sill | 435/91.1 |
| 6,403,037 | B1 | 6/2002 | Chang et al. | 422/68.1 |
| 6,420,143 | B1 | 7/2002 | Kopf-Sill | 435/91.1 |
| 6,429,007 | B1 | 8/2002 | Kluttz et al. | 435/286.5 |
| 6,431,212 | B1 | 8/2002 | Hayenga et al. | 137/855 |
| 6,432,695 | B1 | 8/2002 | Zou et al. | 435/287.2 |
| 6,440,725 | B1 | 8/2002 | Pourahmadi et al. | 435/288.5 |
| 6,488,896 | B2 | 12/2002 | Weigl et al. | 422/101 |
| 6,509,186 | B1 | 1/2003 | Zou et al. | 435/286.1 |
| 6,516,947 | B1 | 2/2003 | Van Dyke et al. | 206/361 |
| 6,541,213 | B1 | 4/2003 | Weigl et al. | 435/7.1 |
| 6,541,274 | B2 | 4/2003 | Nagle et al. | 436/180 |
| 6,544,734 | B1 | 4/2003 | Briscoe et al. | 435/6 |
| 6,565,808 | B2 | 5/2003 | Hudak et al. | 422/58 |
| 6,572,830 | B1 | 6/2003 | Burdon et al. | 422/186.29 |
| 6,581,899 | B2 | 6/2003 | Williams | 251/7 |
| 6,613,576 | B1 | 9/2003 | Rodacy et al. | 436/164 |
| 6,623,821 | B1 | 9/2003 | Kendig | 428/34.9 |
| 6,743,399 | B1 | 6/2004 | Weigl et al. | 422/102 |
| 6,762,049 | B2 | 7/2004 | Zou et al. | 435/287.2 |
| 6,890,484 | B2 | 5/2005 | Bautista et al. | 422/58 |
| 6,960,437 | B2 | 11/2005 | Enzelberger et al. | 435/6 |
| 6,991,898 | B2 | 1/2006 | O'Connor | 435/4 |
| 7,018,830 | B2 | 3/2006 | Wilding et al. | 435/287.1 |
| 7,098,040 | B2 | 8/2006 | Kaylor et al. | 436/514 |
| 7,223,371 | B2 | 5/2007 | Hayenga et al. | 422/100 |
| 7,226,562 | B2 | 6/2007 | Holl et al. | 422/68.1 |
| 7,235,607 | B2 | 6/2007 | Ohlsson | 525/191 |
| 7,537,730 | B2 | 5/2009 | Colin et al. | 422/58 |
| 7,550,267 | B2 | 6/2009 | Hawkins et al. | 435/7.1 |
| 7,763,453 | B2 | 7/2010 | Clemmens et al. | 435/286.7 |
| 2001/0046701 | A1 | 11/2001 | Schulte et al. | 435/287.2 |
| 2002/0160518 | A1 | 10/2002 | Hayenga et al. | 436/70 |
| 2002/0187076 | A1 | 12/2002 | DiCesare et al. | 422/99 |
| 2003/0124619 | A1 | 7/2003 | Weigl et al. | 435/7.1 |
| 2003/0138941 | A1 | 7/2003 | Gong et al. | 435/287.2 |
| 2003/0175990 | A1 | 9/2003 | Hayenga et al. | 436/180 |
| 2004/0175695 | A1 | 9/2004 | Debad et al. | 435/5 |
| 2004/0202571 | A1 | 10/2004 | Epler | 422/61 |
| 2005/0009200 | A1 | 1/2005 | Guo et al. | 436/174 |
| 2005/0013732 | A1 | 1/2005 | Battrell et al. | 422/58 |
| 2005/0084842 | A1 | 4/2005 | O'Connor | 435/4 |
| 2005/0106066 | A1 | 5/2005 | Saltsman et al. | 422/57 |
| 2005/0129582 | A1 | 6/2005 | Breidford et al. | 422/100 |
| 2006/0216196 | A1 | 9/2006 | Satoh et al. | 422/61 |
| 2007/0042427 | A1 | 2/2007 | Gerdes et al. | 435/7.1 |
| 2009/0061450 | A1 | 3/2009 | Hunter | 435/6 |
| 2009/0148933 | A1 | 6/2009 | Battrell et al. | 435/287.2 |
| 2009/0181411 | A1 | 7/2009 | Battrell et al. | 435/7.92 |
| 2009/0325276 | A1 | 12/2009 | Battrell et al. | 435/287.2 |

FOREIGN PATENT DOCUMENTS

| | | | |
|---|---|---|---|
| GB | 2059992 | A | 4/1981 |
| WO | WO 94/05414 | A1 | 3/1994 |
| WO | WO 97/23596 | A1 | 7/1997 |
| WO | WO 97/27324 | A1 | 7/1997 |
| WO | WO 98/50147 | A1 | 11/1998 |
| WO | WO 01/41931 | A2 | 6/2001 |
| WO | WO 02/18823 | A1 | 3/2002 |
| WO | WO 03/004162 | A1 | 1/2003 |
| WO | WO 2005/032377 | A1 | 4/2005 |
| WO | WO 2006/076567 | A2 | 7/2006 |
| WO | WO 2007/064635 | A1 | 6/2007 |
| WO | WO 2009/018473 | A1 | 2/2009 |

OTHER PUBLICATIONS

Ausubel et al., "Current Protocols in Molecular Biology," John Wiley and Sons, Baltimore, MD., 1989.

Belgrader et al., "PCR Detection of Bacteria in Seven Minutes," *Science 284*(5413):449-450, Apr. 16, 1999.

Belgrader et al., "A Battery-Powered Notebook Thermal Cycler for Rapid Multiplex Real-Time PCR Analysis," *Analytical Chemistry 73*(2):286-289, Jan. 15, 2001.

Burke et al., "Microfabrication Technologies for Integrated Nucleic Acid Analysis," *Genome Research 7*:189-197, 1997.

Burns et al., "An Integrated Nanoliter DNA Analysis Device," *Science 282*:484-487, Oct. 16, 1998.

Chartier et al., "Fabrication of an hybrid plastic-silicon microfluidic device for high-throughput Genotyping," *Proceedings of SPIE 4982*:208-219, 2003.

Chiou et al., "A Closed-Cycle Capillary Polymerase Chain Reaction Machine," *Analytical Chemistry 73*(9):2018-2021, May 1, 2001.

Giordano et al., "Polymerase Chain Reaction in Polymeric Microchips: DNA Amplification in Less Than 240 Seconds," *Analytical Biochemistry 291*:124-132, 2001.

Hupert et al., "Polymer-Based Microfluidic Devices for Biomedical Applications," *Proceedings of SPIE 4982*:52-64, 2003.

Innis et al., *PCR Protocols: A Guide to Methods and Applications*, Academic Press, Inc., San Diego, Calif., 1990.

Khandurina et al., "Integrated System for Rapid PCR-Based DNA Analysis in Microfluidic Devices," *Analytical Chemistry 72*(13):2995-3000, Jul. 1, 2000.

Kopp et al., "Chemical Amplification: Continuous-Flow PCR on a Chip," *Science 280*:1046-1048, May 15, 1998.

Lagally et al., "Fully integrated PCR-capillary electrophoresis microsystem for DNA analysis," *Lab on a Chip 1*:102-107, 2001.

Liu et al., "DNA Amplification and Hybridization Assays in Integrated Plastic Monolithic Devices," *Analytical Chemistry 74*(13):3063-3070, Jul. 1, 2002.

Nakano et al., "High Speed Polymerase Chain Reaction in Constant Flow," *Biosci. Biotech. Biochem 58*(2):349-352, Feb. 1994.

Nelson et al., "Self-collected versus provider-collected vaginal swabs for the diagnosis of bacterial vaginosis: An assessment of validity and reliability," *Journal of Clinical Epidemiology 56*:862-866, 2003.

Tüdós et al., "Trends in miniaturized total analysis systems for point-of-care testing in clinical chemistry," *Lab on a Chip 1*:83-95, 2001.

Wilding et al., "PCR in a Silicon Microstructure," *Clinical Chemistry 40*(9):1815-1818, 1994.

Woolley et al., "Functional Integration of PCR Amplification and Capillary Electrophoresis in a Microfabricated DNA Analysis Device," *Analytical Chemistry 68*(23):4081-4086, Dec. 1, 1996.

Yang et al., "High sensitivity PCR assay in plastic micro reactors," *Lab on a Chip 2*:179-187, 2002.

Yuen et al., "Microchip Module for Blood Sample Preparation and Nucleic Acid Amplification Reactions," *Genome Research 11*:405-412, 2001.

Zhang et al., "Miniaturized PCR chips for nucleic acid amplification and analysis: latest advances and future trends," *Nucleic Acids Research 35*(13):4223-4237, 2007.

Zhang et al., "PCR microfluidic devices for DNA amplification," *Biotechnology Advances 24*:243-284, 2006.

Zhou et al., "Determination of SARS-coronavirus by a microfluidic chip system," *Electrophoresis 25*:3032-3039, 2004.