


- [54] ADHESIVE COMPONENTS CONTAINING ALKANEDIYL-BIS-CARBOXAMIDES FOR THE TREATMENT OF COLLAGEN
- [75] Inventors: Michael Müller, Bergisch Gladbach; Wolfgang Podszun, Cologne, both of Fed. Rep. of Germany
- [73] Assignee: Bayer Aktiengesellschaft, Leverkusen, Fed. Rep. of Germany
- [21] Appl. No.: 575,037
- [22] Filed: Aug. 30, 1990
- [30] Foreign Application Priority Data
Sep. 21, 1989 [DE] Fed. Rep. of Germany 3931418
- [51] Int. Cl.⁵ C08F 120/58; C08F 122/38; A61K 6/08; A61C 5/00; A61C 69/52
- [52] U.S. Cl. 526/304; 526/310; 523/116; 433/228.1; 560/222
- [58] Field of Search 526/304; 433/215, 228.1; 523/116; 560/222


- [56] References Cited
- U.S. PATENT DOCUMENTS
- 4,192,784 3/1980 Brown et al. 526/304
4,732,943 3/1988 Beech et al. 525/303

Primary Examiner—Joseph L. Schofer
Assistant Examiner—Wu C. Cheng
Attorney, Agent, or Firm—Sprung Horn Kramer & Woods

- [57] ABSTRACT
- In the application of an adhesive component to a collagen-containing material such as tooth or a bone, the improvement wherein the adhesive component comprises a compound of the formula



in which
R¹ denotes hydrogen or methyl,
R² and R⁴ denote divalent aliphatic radicals having one to three carbon atoms,
R³ denotes hydrogen or formyl (—CO—H),
X denotes hydrogen or (meth)acryloyl



and
n represents 0 or 1, with the proviso that if R³ equals H, n is zero.
Those compounds are new in which R³ denotes formyl and n represents 1.

10 Claims, No Drawings