



(12) **United States Patent**
Shin et al.

(10) **Patent No.:** **US 9,410,734 B2**
(45) **Date of Patent:** **Aug. 9, 2016**

(54) **REFRIGERATOR**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventors: **Dong Hun Shin**, Kyungsangnam-do (KR); **Scott Kim**, Kyungsangnam-do (KR); **Chang Bong Choi**, Kyungsangnam-do (KR); **Seong Taik Kim**, Kyungsangnam-do (KR)

(73) Assignee: **LG Electronics Inc.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/439,443**

(22) PCT Filed: **Oct. 29, 2013**

(86) PCT No.: **PCT/KR2013/009674**

§ 371 (c)(1),
(2) Date: **Apr. 29, 2015**

(87) PCT Pub. No.: **WO2014/069872**

PCT Pub. Date: **May 8, 2014**

(65) **Prior Publication Data**

US 2015/0292795 A1 Oct. 15, 2015

(30) **Foreign Application Priority Data**

Oct. 29, 2012 (KR) 10-2012-0120684

(51) **Int. Cl.**
F25D 27/00 (2006.01)
F25D 25/02 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **F25D 27/00** (2013.01); **F25D 23/00** (2013.01); **F25D 23/028** (2013.01); **F25D 25/02** (2013.01)

(58) **Field of Classification Search**

CPC F25D 27/00; F25D 2327/00; F25D 23/00; F25D 25/02; F25D 2325/022; F25D 23/02; F21V 33/0044; F21V 23/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,987,199 A * 11/1999 Zarian B26D 3/06 362/559
6,123,431 A * 9/2000 Teragaki G02B 6/0036 362/333

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1576761 2/2005
CN 102032746 4/2011

(Continued)

OTHER PUBLICATIONS

International Search Report dated Feb. 21, 2014 for Application No. PCT/KR2013/009674, 2 pages.

(Continued)

Primary Examiner — Daniel Rohrhoff

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(57) **ABSTRACT**

Provided is a refrigerator. The refrigerator includes a main body, a door, a shelf, a light source unit, and a light-guiding member. The main body includes a storage compartment. The door opens and closes the storage compartment. The shelf is detachably coupled to the storage compartment to partition the storage compartment into a plurality of spaces. The light source unit illuminates the storage compartment. The light-guiding member is disposed on at least one end of the shelf. Here, the light source unit is disposed such that a portion of light generated in the light source unit enters the light-guiding member.

16 Claims, 8 Drawing Sheets

