US005700837A

United States Patent [19]

Trimbo

[11] Patent Number: 5,700,837

[45] Date of Patent: *Dec. 23, 1997

[54] **METHOD AND COMPOSITION FOR NORMALIZING INJURY RESPONSE**

[75] Inventor: **Susan Trimbo**, Evanston, Ill.

[73] Assignee: **Nestec Ltd.**, Vevey, Switzerland

[*] Notice: The term of this patent shall not extend beyond the expiration date of Pat. No. 5,574,065.

[21] Appl. No.: **612,980**

[22] Filed: **Mar. 5, 1996**

Related U.S. Application Data

[63] Continuation of Ser. No. 230,592, Apr. 21, 1994, Pat. No. 5,574,065.

[51] **Int. Cl.**[6] **A61K 31/22**; A61K 31/225; A61K 31/19; A61K 31/20

[52] **U.S. Cl.** **514/546**; 514/547; 514/549; 514/557; 514/560

[58] **Field of Search** 514/546, 547, 514/557, 549, 560

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,670,285	6/1987	Clandinin et al.	426/602
4,678,808	7/1987	Ward et al.	514/560
4,752,618	6/1988	Mascioli et al.	514/549
4,804,366	2/1989	Zdeb et al.	604/85
4,820,731	4/1989	Mascioli et al.	514/549
4,847,296	7/1989	Babayan et al.	514/552
4,871,768	10/1989	Bistrian et al.	514/547
5,034,414	7/1991	Wakabayashi et al.	514/549
5,053,387	10/1991	Alexander	514/2
5,089,268	2/1992	Katz	424/450
5,308,832	5/1994	Garleb et al.	514/2
5,444,054	8/1995	Garleb et al.	514/54
5,470,839	11/1995	Laughlin et al.	514/53
5,574,065	11/1996	Trimbo	514/546

FOREIGN PATENT DOCUMENTS

2000392	4/1990	Canada .
0 311 091 A1	7/1988	European Pat. Off. .
0 298 293 A2	1/1989	European Pat. Off. .
0 302 768 A1	2/1989	European Pat. Off. .
0 400 547 A1	12/1990	European Pat. Off. .
0 484 266 A2	10/1991	European Pat. Off. .
37 21 137 1	6/1987	Germany .
39 03 056 A1	8/1990	Germany .
39 03 057 A1	8/1990	Germany .
WO 88/005-4	1/1988	WIPO .
WO 88/03037	5/1988	WIPO .

OTHER PUBLICATIONS

Hellerstein et al, Interleukin 1–induced Anorexia in the Rat–Influence of Prostaglandins, J. Clin. Invest., vol. 84, pp. 228–235 (1989).

Kinney et al, *The Intensive Care Patient*, Chapter 38, pp. 656–671.

Mascioli et al, Endotoxin Challenge After Menhaden Oil Diet: Effects on Survival of Guinea Pigs, Am J Clin Nutr, vol. 49, pp. 277–282 (1989).

Mascioli et al, Enhanced Survival to Endotoxin in Guinea Pigs Fed IV Fish Oil Emulsion, Lipids, vol. 23, No. 6, pp. 623–625 (1988).

Ogle et al, An Evaluation of the Effect of Eicosapentaenoic Acid in the Diet on Macrophage PGE Production and Lymphocyte Proliferation in a Burned Guinea Pig Model, Clinical Nutrition, vol. 7, pp. 219–223 (1988).

Pomposelli et al, Attenuation of the Febrile Response in Guinea Pigs by Fish oil Enriched Diets, Journal of Parenteral and Enteral Nutrition, vol. 13, No. 2, pp. 136–140 (1989).

Swenson et al, Persistence of Metabolic Effects After Long–Term Oral Feeding of a Structured Triglyceride Derived from Medium–Chain Triglyceride and Fish Oil in Burned and Normal Rats, Metabolism, vol. 40, pp. 484–490 (1991).

Teo et al, Administration of Structured Lipid Composed of MCT and Fish Oil Reduces Net Protein Catabolism in Enterally Fed Burned Rats, Ann. Surg., vol. 210, No. 1, pp. 100–107 (1989).

Aggett, Comment on the Content and Composition of Lipids in Infant Formulas, Acta Pediatric Scand,, vol. 80, pp. 887–896 (1991).

Carlson et al, Visual–acuity development in healthy preterm infants: effects of marine–oil supplementation, American Journal of Clinical Nutrition, vol. 58, pp. 35–42 (1993).

Clandinin et al, Requirements of Newborn Infants for Long Chain Polyunsaturated Fatty Acids, Acta Pediatric Scand, vol. 351, pp. 63–71 (1989).

Clark et al, Determination of the optimal ratio of linoleic acid to α–linolenic acid in infant formulas, The Journal of Pediatrics, pp. S151–S158 (1992).

Goulet et al, Long Term Utilization of γ–Linolenic Acid Enriched Intravenous Fat Emulsion in Children, Clinical Nutrition, vol. 12, Suppl. 2, p. 25 (1993).

Hariz et al, Bone Mass During Long Term Parenteral Nutrition in Children, Clinical Nutrition, vol. 12, Suppl. 2, p. 25 (1993).

Hoffman et al, Effects of supplementation with ω3 long–chain polyunsaturated fatty acids on retinal and cortical development in premature infants, American Journal of Clinical Nutrition, vol. 57, Suppl., pp. 807S–812S (1993).

Hoffman et al, Essentiality of Dietary ω3 Fatty Acids for Premature Infants: Plasma and Red Blood Cell Fatty Acid Composition, Lipids, vol. 27, pp. 886–895 (1992).

Innis, n–3 Fatty Acid requirements of the Newborn, Lipids, vol. 27, pp. 879–885 (1992).

(List continued on next page.)

Primary Examiner—Kevin E. Weddington
Attorney, Agent, or Firm—Hill, Steadman & Simpson

[57] **ABSTRACT**

The present invention provides a lipid composition and method that limits the injury response in patients suffering trauma, burns, and/or sepsis. The composition includes: medium chain triglycerides; a source of omega-6 fatty acids; and a source of omega-3 fatty acids. The composition can be administered alone or in combination with other nutrients. The composition can be administered enterally or parenterally.

24 Claims, No Drawings