

15

communication to the synchronous peer communication mode to form the synchronous peer communication mode with the concurrently accessed versions of the shared object identified in the manifest file that includes the network location identified for each concurrently accessed versions of the shared object; 5

receiving a revision to the shared object on the client device, wherein the revision is updated with a revision timestamp and a revision identifier;

updating the concurrently accessed versions of the shared object by: 10

- accessing the manifest file from the unique location identifier stored with the shared object, wherein each concurrently accessed version is located based on the network location identifiers in the manifest file; 15
- determining whether the revision conflicts with a master page of the shared object;
- synchronizing the revision with the master page to cause synchronization of the revision to each of the concurrently accessed versions; and 20
- updating each of the concurrently accessed versions to include the revision timestamp and the revision identifier.

2. The computer-implemented method of claim 1, further comprising: 25

- displaying the revision on a conflict page associated with the master page when the revision is determined to be conflicting with a synchronized revision;
- displaying a conflict indicator on the master page, wherein the conflict indicator indicates that the master page is associated with the conflict page; and 30
- merging the revision into the shared object.

3. The computer-implemented method of claim 2, wherein displaying the revision further comprises: 35

- displaying the revision on the conflict page in a location corresponding to the location where the synchronized revision is displayed on the master page; and
- highlighting the revision on the conflict page.

4. The computer-implemented method of claim 2, further comprising displaying the conflict page and the associated master page when the conflict indicator is selected. 40

5. The computer-implemented method of claim 1, further comprising:

- determining whether the revision is irrelevant; and
- purging the revision that is determined to be irrelevant. 45

6. The computer-implemented method of claim 1, further comprising: 50

- receiving a client request for a current version of the shared object at a store;
- receiving the current version of the shared object at the store; and
- synchronizing the current version of the shared object with the client.

7. The computer-implemented method of claim 6, wherein receiving a client request further comprises assigning request tag and client information to the store. 55

8. The computer-implemented method of claim 6, wherein receiving the current version of the shared object further comprises receiving the current version of the shared object when another client accesses the store with the current version of the shared object. 60

9. A computer-readable storage medium having computer-executable instructions for synchronizing multiple user revisions to a shared object, comprising: 65

- accessing a shared object on a server to form an asynchronous server communication mode between a client device and the server;

16

- determining a location of a manifest file for the shared object based on a unique location identifier in the accessed shared object;
- obtaining the manifest file on the client device based on the unique location identifier in the accessed shared object, wherein the manifest file includes a network location identifier for concurrently accessed versions of the shared object in a synchronous peer communication mode that provides real-time communication;
- based on the obtained manifest file, automatically and seamlessly transitioning from the asynchronous server communication to the synchronous peer communication mode to form the synchronous peer communication mode with the concurrently accessed versions of the shared object identified in the manifest file that includes the network location identified for each concurrently accessed versions of the shared object;
- receiving a revision to the shared object on the client device, wherein the revised portion of the shared object is indicated with a revision timestamp and a revision identifier to distinguish the revised portion of the shared object from unrevised portions of the shared object;
- updating the concurrently accessed versions of the shared object by: 5

 - accessing the manifest file from the unique location identifier stored with the shared object, wherein each concurrently accessed version is located based on the network location identifiers in the manifest file;
 - determining whether the revision conflicts with a master page of the shared object;
 - synchronizing the revision with the master page to cause synchronization of the revision to each of the concurrently accessed versions; and
 - updating each of the concurrently accessed versions to include the revision timestamp and the revision identifier.

10. The computer-readable storage medium of claim 9, further comprising: 10

- displaying the revision on a conflict page associated with the master page when the revision is determined to be conflicting with a synchronized revision;
- displaying a conflict indicator on the master page, wherein the conflict indicator indicates that the master page is associated with the conflict page; and
- merging the revision into the shared object.

11. The computer-readable storage medium of claim 10, wherein displaying the revision further comprises: 15

- displaying the revision on the conflict page in a location corresponding to the location where the synchronized revision is displayed on the master page; and
- highlighting the revision on the conflict page.

12. The computer-readable storage medium of claim 10, further comprising displaying the conflict page and the associated master page when the conflict indicator is selected. 20

13. The computer-readable storage medium of claim 9, further comprising: determining whether the revision is irrelevant; and 25

- purging the revision that is determined to be irrelevant.

14. The computer-readable storage medium of claim 9, further comprising determining whether the revision is associated with a current version of the shared object. 30

15. The computer-readable storage medium of claim 14, further comprising: 35

- receiving a client request for a current version of the shared object at a store;
- receiving the current version of the shared object at the store; and