



US006051648A

United States Patent [19]

[11] Patent Number: **6,051,648**

Rhee et al.

[45] Date of Patent: ***Apr. 18, 2000**

[54] **CROSSLINKED POLYMER COMPOSITIONS AND METHODS FOR THEIR USE**

[75] Inventors: **Woonza M. Rhee**, Palo Alto; **Frank A. DeLustro**, Belmont; **Richard A. Berg**, Los Altos, all of Calif.

[73] Assignee: **Cohesion Technologies, Inc.**, Palo Alto, Calif.

[*] Notice: This patent is subject to a terminal disclaimer.

[21] Appl. No.: **09/229,851**

[22] Filed: **Jan. 13, 1999**

Related U.S. Application Data

[63] Continuation of application No. 08/769,806, Dec. 19, 1996, Pat. No. 5,874,500, which is a continuation-in-part of application No. 08/573,799, Dec. 18, 1995, abandoned.

[51] **Int. Cl.**⁷ **C08F 283/00**; C08G 63/91; C08G 69/48

[52] **U.S. Cl.** **525/54.1**; 525/419; 525/420; 525/425

[58] **Field of Search** 525/54.1, 419, 525/420, 425

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,619,371 11/1971 Crook et al. .
3,742,955 7/1973 Battista et al. .

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

2134744 5/1995 Canada .
0013249 1/1980 European Pat. Off. .
0042253 12/1981 European Pat. Off. .
0154447 9/1985 European Pat. Off. .
0157359 10/1985 European Pat. Off. .
0171176 2/1986 European Pat. Off. .
0243179 10/1987 European Pat. Off. .
0330389 8/1989 European Pat. Off. .
0341007 11/1989 European Pat. Off. .
0431479A1 6/1991 European Pat. Off. .
0466383 1/1992 European Pat. Off. .
0575273 12/1993 European Pat. Off. .
0640647 3/1995 European Pat. Off. .
0656214 6/1995 European Pat. Off. .
0656215 6/1995 European Pat. Off. .
0680990 11/1995 European Pat. Off. .
0732109 9/1996 European Pat. Off. .
2628634 9/1989 France .
4-227265 4/1990 Japan .
60-70972 3/1994 Japan .
07090241 6/1995 Japan .
WO 84/01106 3/1984 WIPO .
WO 85/04412 10/1985 WIPO .
WO 87/04078 7/1987 WIPO .
WO 90/05755 5/1990 WIPO .
WO 92/13025 8/1992 WIPO .
WO 92/13578 8/1992 WIPO .
WO 94/01483 1/1994 WIPO .
WO 94/03155 1/1994 WIPO .

OTHER PUBLICATIONS

Harris, J. Milton, Ed., *Poly(ethylene Glycol): Biotechnical & Biomedical Applications*, Chapter 22, Plenum Press, NY (1992).

Dewent abstract of Japanese Patent Publication No. 07-090241 (04/04/95) 1 page total.

West et al., "Comparison of covalently and physically cross-linked polyethylene glycolbased hydrogels for the prevention of postoperative adhesions in a rat model," *Biomaterials* (1995) 16:1153-1156.

Dialog® English Abstract of French Patent No. 2,628,634 (09/22/89).

Abuchowski et al., "Alteration of immunological properties of bovine serum albumin by covalent attachment of polyethylene glycol," *Biol. Chem.*, 252(11):3578-3581 (Jun. 10, 1977).

Abuchowski et al., "Cancer therapy with chemically modified enzymes. I. Antitumor properties of polyethylene glycol-asparaginase conjugates," *Cancer Biochem. Biophys.*, 7:175-186 (1984).

Abuchowski et al., "Effect of covalent attachment of polyethylene glycol on immunogenicity and circulating life of bovine liver catalase," *J. Biol. Chem.*, 252(11):3582-3586 (Jun. 10, 1977).

Anderson et al., "The use of esters of n-Hydroxysuccinimide in peptide synthesis," ???, 86:1839-1842 (May 3, 1964).

Beauchamp et al., "A new procedure for the synthesis of polyethylene glycol-protein adducts: Effects on function, receptor recognition, and clearance of superoxide dismutase, lactoferrin, and a₂-macroglobulin," *Analytical Biochemistry*, 131:25-33 (1983).

Bendich et al., "Immunological effects of native and polyethylene glycol-modified asparaginases from *vibrio succinogenes* and *escherichia coli* in normal and tumor-bearing mice," *Clin. Exp. Immunol.*, 48:273-278 (1982).

(List continued on next page.)

Primary Examiner—Nathan M. Nutter

Attorney, Agent, or Firm—Foley & Lardner; Laurie A. Axford

[57] **ABSTRACT**

Crosslinked polymer compositions comprise a first synthetic polymer containing multiple nucleophilic groups covalently bound to a second synthetic polymer containing multiple electrophilic groups. The first synthetic polymer is preferably a synthetic polypeptide or a polyethylene glycol that has been modified to contain multiple nucleophilic groups, such as primary amino (—NH₂) or thiol (—SH) groups. The second synthetic polymer may be a hydrophilic or hydrophobic synthetic polymer which contains, or has been derivatized to contain, two or more electrophilic groups, such as succinimidyl groups. The compositions may further comprise other components, such as naturally occurring polysaccharides or proteins (such as glycosaminoglycans or collagen) and/or biologically active agents. Also disclosed are methods for using the crosslinked polymer compositions to effect adhesion between a first surface and a second surface; to effect tissue augmentation; to prevent the formation of surgical adhesions; and to coat a surface of a synthetic implant.