



US005835054A

United States Patent [19]

[11] Patent Number: **5,835,054**

Warhus et al.

[45] Date of Patent: **Nov. 10, 1998**

[54] ULTRA WIDEBAND GROUND PENETRATING RADAR IMAGING OF HETEROGENEOUS SOLIDS

[75] Inventors: **John P. Warhus**, Brentwood; **Jeffrey E. Mast**, Livermore, both of Calif.

[73] Assignee: **The Regents of the University of California**, Oakland, Calif.

[21] Appl. No.: **853,548**

[22] Filed: **May 9, 1997**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 609,812, Mar. 1, 1996.

[51] Int. Cl.⁶ **G01S 13/04**; G01S 13/89; G01S 7/292

[52] U.S. Cl. **342/22**; 342/179; 342/196; 342/197; 342/195; 342/180

[58] Field of Search 342/22, 25, 27, 342/179, 194, 195, 197, 196, 180

[56] References Cited

U.S. PATENT DOCUMENTS

5,313,210	5/1994	Gail	342/25
5,455,590	10/1995	Collins et al.	342/179
5,552,787	9/1996	Schuler et al.	342/25
5,557,283	9/1996	Sheen et al.	342/179

OTHER PUBLICATIONS

Jeffrey Edward Mast, "Microwave Pulse-Echo Radar Imaging for the Nondestructive Evaluation of Civil Structures," Thesis, University of Illinois at Urbana-Champaign, Urbana, Illinois, 1993.

Primary Examiner—John B. Sotomayor
Attorney, Agent, or Firm—Richard B. Main

[57] ABSTRACT

A non-invasive imaging system for analyzing engineered structures comprises pairs of ultra wideband radar transmitters and receivers in a linear array that are connected to a timing mechanism that allows a radar echo sample to be taken at a variety of delay times for each radar pulse transmission. The radar transmitters and receivers are coupled to a position determining system that provides the x,y position on a surface for each group of samples measured for a volume from the surface. The radar transmitter and receivers are moved about the surface, e.g., attached to the bumper of a truck, to collect such groups of measurements from a variety of x,y positions. Return signal amplitudes represent the relative reflectivity of objects within the volume and the delay in receiving each signal echo represents the depth at which the object lays in the volume and the propagation speeds of the intervening material layers. Successively deeper z-planes are backward propagated from one layer to the next with an adjustment for variations in the expected propagation velocities of the material layers that lie between adjacent z-planes.

8 Claims, 7 Drawing Sheets

