U.S. PATENT DOCUMENTS

4,323,395	4/1982	Li	75/212
4,426,404	1/1984	Shoher et al.	427/2
4,427,501	1/1984	Rogers	204/37 R
4,450,188	5/1984	Kawasumi	427/217
4,528,207	7/1985	Johnson	427/3
4,664,855	5/1987	Tremblay et al.	264/111
4,742,861	5/1988	Shoher et al.	164/80
4,859,412	8/1989	Groll et al.	419/23
4,963,184	10/1990	Diehl et al.	75/247
4,970,050	11/1990	Groll et al.	419/36
4,990,394	2/1991	Shoher et al.	428/212
4,997,699	3/1991	Shoher et al.	428/212
5,064,690	11/1991	Sando et al.	427/215
5,118,317	6/1992	Wijnen	415/50
5,183,631	2/1993	Kugimiya et al.	419/10
5,276,290	1/1994	Bladon	174/262
5,302,464	4/1994	Nomura et al.	428/551
5,334,240	8/1994	Ferrier	106/1.22
5,344,605	9/1994	Kaji et al.	148/513 X

OTHER PUBLICATIONS

Greener, et al., "Dental Amalgams", *Dental Materials: Properties and Selection,* Quintessence Publishing Co., Inc., 1989, pp. 263–281.

Masuhara, et al., "Study on Toxicity of a New Gallium Alloy for Dental Restorations", *Journal of Dental Health,* 27, p. 361, (1987).

T. Okabe, "Characterization of a Gallium Alloy for Dental Resotration":, *Dental Materials Abstract* No. 624.

Ishii, et al, "The Primary Irritant Testing to mthe Human Skin of Gallium Alloy",*J. Fukuoka Dent. College,* 14(1):96–112, 1987, p. 49.

Horibe, et al., "Gallium Alloys for Dental Restoration", *J. Fukuoka Dent. Coll.,* 12(4):198–204, 1986, p. 33.

Joujima, H., et al., "Studies on Biological Evaluation of Gallium Alloy", *J. Fukuoka Dent. Coll.,* 14(3):249–257, 1987, p. 40.

Yoshida, et al., "The Basic Study on Gallium Alloy for Reatoration", *J. Fukuoka Dent. Coll.,* 31(4):1004–1012, 1988, pp. 1004–1005.

Kim, et al., "The Clinical Observation of Gallium Alloy as a New Dental Restorative Material for Primary Teeth", *J. Fukuoka Dent. Coll.,* 14(4):395–400, 1988, p. 56.

S. R. Natarajan, et al., "Electroplating Baths for Silver—A review of Cyanide–Free Formulations", *Metal Finishing,* Feb. 1971, pp. 51–56.

Fackelma, "Can Dental Fillings Create Drug Resistance", *Science News,* Apr. 1993.