(51) **Int. Cl.**

H01L 29/45	(2006.01)
H01L 29/66	(2006.01)
H01L 21/285	(2006.01)
H01L 21/02	(2006.01)
H01L 29/78	(2006.01)
H01L 29/16	(2006.01)

(52) **U.S. Cl.**

CPC ***H01L 21/02532*** (2013.01); ***H01L 21/2807*** (2013.01); ***H01L 21/28052*** (2013.01); ***H01L 21/28518*** (2013.01); ***H01L 29/16*** (2013.01); ***H01L 29/45*** (2013.01); ***H01L 29/66477*** (2013.01); ***H01L 29/78*** (2013.01)

(56) **References Cited**

OTHER PUBLICATIONS

Kasahara et al.; "Mechanism of Fermi Level Pinning at Metal/Germanium Interfaces", Physical Review, Review B, vol. 84, pp. 205301-1 to 205301-5 (2011).

Lim et al.; "Fermi-Level Depinning at the Metal-Germanium Interface by the Formation of Epitaxial Nickel Digermanide NiGe2 Using Pulsed Laser Anneal", Applied Physics Letters, vol. 101, pp. 172103-1 to 172103-4 (2012).

Zaima et al.; "Ni Silicide and Germanide Technology for Contacts and Metal Gates in MOSFET Applications", IEEE International Conference on Solid-State and Integrated Technology, 4 (2006).

Lee et al.; "Dynamic Study on Microstructural Evolution of Nickel Germanide Utilizing Zirconium Interlayer", Microelectronic Engineering, vol. 89, No. 23, pp. 23-26 (2012).

International Preliminary Report on Patentability and Written Opinion issued by the International Bureau of WIPO on Nov. 12, 2015, for International Application No. PCT/JP2014/051967.

Office Action, issued by the Taiwan Intellectual Property Office, in a counterpart Taiwan Patent Application No. 103104244, dated Feb. 17, 2016.

English-language International Search Report from the Japanese Patent Office for International Application No. PCT/JP2014/051967, mailing date Apr. 28, 2014.

* cited by examiner