United States Patent [19]

Sawyer

[11] **4,238,480**

[45] **Dec. 9, 1980**

[54] **METHOD FOR PREPARING AN IMPROVED HEMOSTATIC AGENT AND METHOD OF EMPLOYING THE SAME**

[76] Inventor: **Philip N. Sawyer,** 7600 Ridge Blvd., Brooklyn, N.Y. 11209

[21] Appl. No.: **907,899**

[22] Filed: **May 19, 1978**

[51] **Int. Cl.**[2] **A23J 1/10;** A61L 17/00

[52] **U.S. Cl.** ..... **424/177;** 128/325; 128/334 R; 128/DIG. 8; 260/123.7; 435/177; 260/117

[58] **Field of Search** 260/117, 123.7; 424/177

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,682,825	8/1972	Tamai et al.	260/117
3,697,437	10/1972	Fogle et al.	260/117
3,742,955	7/1973	Battista et al.	128/334 R
4,043,952	8/1977	Ganslaw et al.	260/117

FOREIGN PATENT DOCUMENTS

256785	1/1963	Australia	260/123.7

OTHER PUBLICATIONS

Peacock et al., Ann. Surg., vol. 161 (1965), pp. 238–247.

Primary Examiner—Walter C. Danison
Attorney, Agent, or Firm—Posnack, Roberts, Cohen & Spiecens

[57] **ABSTRACT**

An improved hemostatic agent is made by treating collagen or collagen-like substance to render the surface charge thereof effectively more positive. The thusly modified substance is employed to control or terminate bleeding.

26 Claims, 6 Drawing Figures