

3

74 and 76 respectively along a telescope body 78 between windows 80 and 82.

According to yet another alternative embodiment of the present invention illustrated in FIG. 7, a plurality of lenses 90 may be joined together by a cylindrical member 92 disposed within a telescope body 94 intermediate windows 96 and 98.

It will be appreciated by persons skilled in the art that the present invention is not limited by what has been particularly shown and described hereinabove. Rather the scope of the present invention includes both combinations and sub-combinations of the various features described hereinabove as well as variations and further developments thereof which would occur to persons skilled in the art upon reading the above description and which are not in the prior art.

We claim:

1. An intraocular lens implant for implantation in the interior of a human eye comprising a telescope body having an anterior end and a posterior end and including at least one window sealed to the telescope body at at least one of the anterior end and said posterior end and at least two lenses disposed within the telescope body intermediate the anterior end and the posterior end, wherein said at least two lenses are joined together by a cylindrical member disposed within the telescope body.

2. An intraocular lens implant according to claim 1 and wherein at least one of said at least two lenses are doublet lenses.

3. An intraocular lens implant according to claim 2 and wherein said at least one window is generally without optical power.

4

4. An intraocular lens implant according to claim 2 and wherein air gaps are defined between the lenses and between the lenses and said at least one window.

5. An intraocular lens implant according to claim 2 and wherein at least one window defines a prism.

6. An intraocular lens implant according to claim 2 and wherein said doublet lenses are joined doublet lens.

7. An intraocular lens implant according to claim 2 and wherein said doublet lenses are separated doublet lens.

8. An intraocular lens implant according to claim 1 and wherein said at least one window is generally without optical power.

9. An intraocular lens implant according to claim 8 and wherein air gaps are defined between the lenses and between the lenses and said at least one window.

10. An intraocular lens implant according to claim 8 and wherein at least one window defines a prism.

11. An intraocular lens implant according to claim 1 and wherein air gaps are defined between the lenses and between the lenses and said at least one window.

12. An intraocular lens implant according to claim 11 and wherein at least one window defines a prism.

13. An intraocular lens implant according to claim 1 and wherein at least one window defines a prism.

14. An intraocular lens implant according to claim 1 and wherein one of said lenses is a positive lens disposed towards said posterior end and another of said lenses is a negative lens disposed towards said anterior end.

* * * * *