

(56)

References Cited

OTHER PUBLICATIONS

- Chen, Liangyou, et al., "Can We Improve the Clinical Utility of Respiratory Rate As a Monitored Vital Sign?", *Shock*, Jun. 2009, pp. 574-580, vol. 31, No. 6.
- Chen, Liangyou, et al., "Decision Tool for the Early Diagnosis of Trauma Patient Hypovolemia," *Journal of Biomedical Informatics*, 2008, pp. 469-478, vol. 41.
- Chen, Liangyou, et al., "Diagnosis of Hemorrhage in a Prehospital Trauma Population Using Linear and Nonlinear Multiparameter Analysis of Vital Signs," *Proceedings of the 29th Annual International Conference of the IEEE EMBS*, Aug. 23-26, 2007, pp. 3748-3751, IEEE.
- Chen, Liangyou, et al., "Exploration of Prehospital Vital Sign Trends for the Prediction of Trauma Outcomes," *Prehospital Emergency Care*, Jul./Sep. 2009, pp. 286-294, vol. 13, No. 3.
- Chen, Liangyou, et al., "Exploiting the Existence of Temporal Heart-Rate Patterns for the Detection of Trauma-Induced Hemorrhage," *29th IEEE EMBS Annual International Conference*, Aug. 20-24, 2008, pp. 2865-2868.
- Dietterich, Thomas G., "Ensemble Methods in Machine Learning," *First International Workshop on Multiple Classifier Systems*, Oregon State University, 2000, pp. 1-15, vol. 1857.
- Drew, Guy A., et al., "An Advanced Time Synchronized Multimedia Multiplatform Biomedical Data Acquisition System," *United States Army Institute of Surgical Research*, 2002.
- Edmonds, Zachary V., et al., "The Reliability of Vital Sign Measurements," *Annals of Emergency Medicine*, Mar. 2002, pp. 233-237, vol. 39, No. 3.
- Feeley, Mike, "US Army Institute of Surgical Research Data Acquisition System for Hemorrhage Moves to Next Phase." U.S. Army Medical Research and Materiel Command, <http://www.kmmediagroup.com/mmt-home/251-mmt-2010-volume-14-issue-4-june/3001-us-army-institute-of-surgical-research-data-acquisiti...>, vol. 14, issue 4, Jun. 2001.
- Fishcher, Sandra, et al., "Handheld Computing in Medicine," *Journal of the American Medical Informatics Association*, Mar./Apr. 2003, pp. 139-149, vol. 10, No. 2.
- Grinstead, Brad, et al., "Biomedical Signal Acquisition Using Labview," *Proceedings of the 11th IEEE Symposium on Computer-Based Medical Systems*, 1998, pp. 157-161.
- Garner, Dainel C., et al., "Noise in Medical Helicopters," *JAMA*, Jul. 24-31, 1991, pp. 515, vol. 266, No. 4.
- Jung Insung, et al., "User Pattern Learning Algorithm Based MDSS (Medical Decision Support System) Framework under Ubiquitous," *World Academy of Science, Engineering and Technology* 36 2007, 2007, pp. 184-188.
- Kittler, J., et al., "Sum Versus Vote Fusion in Multiple Classifier Systems," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Jan. 2003, pp. 110-115, vol. 25, No. 1.
- Koenig, Steven C., et al., "Integrated Data Acquisition System for Medical Devices Testing and Physiology Research in Compliance with Good Laboratory Practices," *Biomedical Instrumentation & Technology*, May/June 2004, pp. 2-13.
- Kramer, George C., et al., "Closed-Loop Resuscitation of Hemorrhagic Shock," *UTMB, Anesthesiology Resuscitation Research Laboratory, Final Report*, Feb. 21, 2011.
- Kuncheva, Ludmila I., "A Theoretical Study on Six Classifier Fusion Strategies," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Feb. 2002, pp. 281-286, vol. 24, No. 2.
- Lovett, Paris B., et al., "The Vexatious Vital: Neither Clinical Measurements by Nurses Nor an Electronic Monitor Provides Accurate Measurements of Respiratory Rate in Triage," *Annals of Emergency Medicine*, Jan. 2005, pp. 68-76, vol. 45, No. 1.
- Low, Ronald B., et al., "Accuracy of Blood Pressure Measurements Made Aboard Helicopters," *Annals of Emergency Medicine*, Jun. 1988, pp. 604-612, vol. 17, No. 6.
- McKenna, Thomas M., et al., "The Physiology Analysis System: An Integrated Approach for Warehousing, Management and Analysis of Time-Series Physiology Data," *Computer Methods and Programs in Biomedicine*, Apr. 2007, pp. 62-72, vol. 86.
- Musen, Mark A., et al., "Biomedical Informatics: Computer Applications in Health Care and Biomedicine," 3rd Edition, 2006, pp. 698-736.
- Norris, Patrick Roger, "Toward New Vital Signs: Tools and Methods for Physiologic Data Capture, Analysis, and Decision Support in Critical Care," *Dissertation Submitted to the Faculty of the Graduate School of Vanderbilt University*, May 2006.
- Reifman, Jaques, et al., "Automated Decision-Support Technologies for Prehospital Care of Trauma Casualties," *Nato Rto Human Factors & Medicine Panel Symposium, Use of Advanced Technologies and New Procedures in Medical Field Operators*, NATO OTAN, RTO-MP-HFM-182, Apr. 19-21, 2010, Essen, Germany.
- Saleem, Mohammed, "Clinical Decision Support Systems," *University of Connecticut, Computer Science and Engineering* 300, May 5, 2008.
- Tsien, Christien L., et al., "Poor Prognosis for Existing Monitors in the Intensive Care Unit," *Critical Care Medicine*, Apr. 1997, pp. 614-619, vol. 25, iss. 4.
- Yu, Chenggang, et al., "A Method for Automatic Identification of Reliable Heart Rates Calculated from ECG and PPG Waveforms," *Journal of the American Medical Informatics Association*, May/June 2006, pp. 309-320, vol. 13, No. 3.
- National Instruments, "Options for Working with NI LabVIEW; The MathWorks, Inc. MATLAB Software; and M-File Scripts," *NIWeek 2011*, <http://www.ni.com/analysis/matlab.htm>.
- Seeking Alpha, "Welch Allyn Adds Masimo Total Hemoglobin to Connex Vital Signs Monitors," *Business Wire* 2011, Jul. 14, 2011, <http://www.seekingalpha.com/news-article/1424024-welch-allyn-adds-masimo-total-hemoglobin-to-connex-vital-signs-monitor>.
- Drew, Guy A., et al., "Biomedical Patient Monitoring, Data Acquisition, and Playback with LabVIEW," *Biomedical Test*, Chap. 2, 2000, pp. 92-98.
- Koenig, Steven C., et al., "Integrated Data Acquisition System for Medical Device Testing and Physiological Research in Compliance with Good Laboratory Practices," *Biomedical Instrumentation & Technology*, May/June 2004, pp. 229-240, vol. 38.
- Reisner, Andrew T., et al., "Automatically-Computed Prehospital Severity Scores are Equivalent to Scores Based on Medic Documentation," *The Journal of Trauma Injury, Infection, and Critical Care*, Oct. 2008, pp. 915-923, vol. 65, No. 4.

* cited by examiner