

[54] ARYL AND HETEROARYL ETHERS AS AGENTS FOR THE TREATMENT OF HYPERSENSITIVE AILMENTS

[75] Inventors: Utpal R. Chakraborty, Orangeburg; Raymond D. Youssefeyeh, Tarrytown, both of N.Y.

[73] Assignee: USV Pharmaceutical Corp., Fort Washington, Pa.

[21] Appl. No.: 723,781

[22] Filed: Apr. 16, 1985

[51] Int. Cl.<sup>4</sup> ..... A61K 31/47

[52] U.S. Cl. .... 514/307

[58] Field of Search ..... 514/307

References Cited

U.S. PATENT DOCUMENTS

4,327,102	4/1982	Crossley	546/339
4,337,259	6/1982	Crossley	546/339
4,394,509	7/1983	Crossley	546/301
4,415,579	11/1983	Crossley	546/339

FOREIGN PATENT DOCUMENTS

2069492 2/1981 United Kingdom

OTHER PUBLICATIONS


- J. of Amer. Chem. Society, 80, 2741-2743 (1958).
- J. of the Chem. Society, Perkins, I., 418-425 (1979).
- J. Med. Chem., 26, 218-222 (1983).
- Eur. J. of Med. Chem.-Chem. Ther., 3, 277-285, 1983-18.

- Can. J. Chem., 56, 3059-3071 (1978).
- J. of the Pharm. Soc. of Japan, 71, 1275-1277 (1951).
- Pharm. Bull., 4, 211-216 (1956).

Primary Examiner—Stanley J. Friedman

[57] ABSTRACT

The present invention is concerned with the therapeutic composition comprising as an active ingredient a compound of the formula:



I

and salts thereof;

wherein

Ar and Ar<sub>1</sub> are independently phenyl, naphthyl or a nitrogen, oxygen, or sulfur heterocyclic ring;

Z is an alkylene chain containing from 1 to 5 carbon atoms in the principal chain and up to a total of 10 carbon atoms;

M is oxygen, sulfur, or NR<sub>5</sub>;

R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub> and R<sub>4</sub> are each independently H, lower alkyl, lower alkoxy, hydroxy, halo, trihalomethyl, hydroxy lower alkyl, carboxy, formyl, aryl, aryloxy, benzyloxy, lower alkanoyl, carboxy lower alkoxy, nitro, amino, lower alkylamino, dilower alkylamino, cyano, lower alkanoyloxy, carbamoyl, lower alkoxy-alkoxy, carbo-lower-alkoxy-alkoxy, or tetrahydropranylmethyl; and

R<sub>5</sub> is hydrogen or lower alkyl.

55 Claims, No Drawings