



US009409289B2

(12) **United States Patent**
Wingate et al.

(10) **Patent No.:** **US 9,409,289 B2**
(45) **Date of Patent:** **Aug. 9, 2016**

(54) **SYSTEM, METHOD, AND APPARATUS, FOR A HANDLE ATTACHMENT FOR A MOBILE DEVICE**

(71) Applicants: **Barry Wingate**, San Jose, CA (US);
Chien Hsu Chen, Millbrae, CA (US)

(72) Inventors: **Barry Wingate**, San Jose, CA (US);
Chien Hsu Chen, Millbrae, CA (US)

(73) Assignee: **Zircon Corporation**, Campbell, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/655,691**

(22) PCT Filed: **Dec. 31, 2013**

(86) PCT No.: **PCT/US2013/078492**

§ 371 (c)(1),

(2) Date: **Jun. 25, 2015**

(87) PCT Pub. No.: **WO2014/107452**

PCT Pub. Date: **Jul. 10, 2014**

(65) **Prior Publication Data**

US 2015/0343629 A1 Dec. 3, 2015

Related U.S. Application Data

(60) Provisional application No. 61/748,421, filed on Jan. 2, 2013.

(51) **Int. Cl.**

A45C 13/22 (2006.01)

B25J 1/04 (2006.01)

A45F 5/10 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC ... **B25J 1/04** (2013.01); **A45F 5/10** (2013.01);

B25G 3/38 (2013.01); **H05K 5/0086** (2013.01)

(58) **Field of Classification Search**

CPC Y10T 16/469; Y10T 16/4559; A45F 2200/05; A45F 2200/0516; A45F 2200/10; A45F 5/00; A45F 5/10; A45F 2005/008; F16M 13/00; F16M 13/04; B25J 1/04; B25G 3/38; B25G 3/00; B25G 3/02; B25G 3/08; B25G 3/18; B25G 3/10; B25G 3/26; G03B 17/00; G03B 17/561; G03B 17/563; G03B 17/566; G03B 17/565; H05K 5/023; A46B 2200/202; A46B 7/04; H04B 1/388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,591,214 A * 4/1952 Tamarin A47L 5/30
15/323
3,362,037 A * 1/1968 Griffin A47L 13/255
15/144.1
4,127,911 A * 12/1978 Cupp B05C 17/00
15/144.1

(Continued)

Primary Examiner — Chuck Mah

(74) *Attorney, Agent, or Firm* — Omair M. Farooqui

(57) **ABSTRACT**

The present invention relates generally to a system, method, and apparatus for a handle coupled to a device. More specifically, aspects of the present invention relate to a handle releasably coupled to a device. Further still, aspects of the present invention relate to a handle releasably coupled to a hatch that is releasably coupled to a device. Further still, aspects of the present invention relate to a two-axis pivoting handle reliably and releasably coupled to a device. In still other aspects the present invention relates to a device coupled to a releasable handle via a releaseable hatch, and wherein the handle optionally having means for extending the handle. Optionally, the device has an electronic device secured thereto, and wherein the electronic device has at least one means to communicate with a computer device.

20 Claims, 7 Drawing Sheets

