U.S. PATENT DOCUMENTS

4,287,200	A		9/1981	Kawamatsu et al.
4,584,321	A		4/1986	Manghisi et al.
4,613,593	A		9/1986	Yamatsu et al.
4,634,719	A		1/1987	Takaishi et al.
4,689,344	A		8/1987	Bar-Tana
4,711,896	A		12/1987	Bar-Tana et al.
4,714,762	A		12/1987	Hoefle et al.
5,166,174	A		11/1992	Ueno et al.
5,225,439	A		7/1993	Ueno et al.
5,284,858	A		2/1994	Ueno et al.
5,380,709	A		1/1995	Ueno et al.
5,428,062	A		6/1995	Ueno et al.
5,648,387	A	*	7/1997	Bisgaier et al.
5,750,569	A		5/1998	Bisgaier et al.
5,756,344	A		5/1998	Onda et al.
5,756,544	A		5/1998	Bisgaier et al.
5,783,600	A		7/1998	Bisgaier et al.
5,834,596	A		11/1998	Ageland et al.
5,886,034	A		3/1999	Ueno et al.
6,004,925	A		12/1999	Dasseux et al.
6,037,323	A		3/2000	Dasseux

OTHER PUBLICATIONS

Bhanot et al., 1977, "Synthetic Studies on Terpenoids.5.Syntheses of γ– and δ–Lactones from β–(2, 7–Dimethyl–1,2–dihydroxycycloheptyl)propionic Acid", J. Org. Chem. 42:1623–1627.

Bisgaier et al., 1998, "A novel compound that elevates high density lipoprotein and activates the peroxisome proliferator activated receptor", J Lipid Res. 39(1):17–30.

Bisgaier et al., 1997, "Attenuation of plasma low density lipoprotein cholesterol by select 3–hydroxy–3–methylglutaryl coenzyme A reductase inhibitors in mice devoid of low density lipoprotein receptors", J Lipid Res 38(12):2502–2512.

Bongini et al., 1979, "A simple and practical method for tetrahydropyranylation of alcohols and phenols", Synthesis 618–620.

Brown et al., 1965, "Selective reductions. VII. Reaction of lithium trimethoxyluminohydride with selected organic compounds containing representative functional groups", J. Am. Chem . Soc. 87:5614–20.

Brown et al., 1980, "Selective reductions. 26 Lithium triethylborohydride as an exceptionally powerful and selective reducing agent in organic synthesis. Exploration of the reactions with selected organic compounds containing representative functional groups, [1,2]", *J. Org. Chem 45*:1–12.

Bruce et al., 1998, "Plasma lipid transfer proteins, high–density lipoproteins, and reverse cholesterol transport", Annu Rev Nutr. 1998;18:297–330.

Campagna et al., 1994, "Cyclic Amidine Analogues of Taurine and Homotaurine: Synthesis and Effects on Rat Skeletal Muscle", Farmaco, Ed. Sci 49:653–658.

Carothers, 1924, "Platinum oxide as a catalyst in the reduction of organic compounds. V. The preparation of primary alcohols by the catalytic hydrogenation of aldehydes[1]", *J. Am. Chem. Soc. 46*:1675–83.

Cerny et al., 1969, "Properties of Sodium Bis–(2–Methoxyethoxy_Aluminum Hydride", Collect Czech Chem Commun. 34:1025–33.

Chadwick et al., 1979, "Reaction between N–Alkylpyrroles and Alkyl–lithium Reagents"J. Chem Soc., Perkin Trans. I 2845.

Chaikin et al., 1949, "Lithium Borohydride as a Reducing Agent", J. Am. Chem. Soc. 71:3245–46.

Chen et al., 1998, "Asymetric total synthesis of phosphatidylinositol 3–phosphate and 4–phosphate derivatives", J. Org. Chem. 63:6511–22.

Comins et al., 1981, "A one pot synthesis of unsymmetrical secondary alcohols from two grignard reagents", Tetrahedron Lett. 22:1085–88.

Corbridge, 1985, "Phosphorus: An Outline of Its Chemistry, Biochemistry and Technology", Studies in Inorganic Chemistry, 3RD ed, pp. 357–395.

Corey et al., 1978, "Total Synthesis of (S)–12—Hydroxy–5, 8,14–cis,–10–trans–eicosatetraenoic Acid (Samuelssons's HETE)", J. Am. Chem Soc. 100:1942–1943.

Corey et al., 1979, "Useful procedures for the oxidation of alcohols involving pyridinum dichromate in aprotic media", Tetrahedron Lett. 5: 399–402.

Corey et al., 1967, "A useful method for the conversion of alcohols into iodides", J. Org. Chem. 32: 4160–4161.

Danheiser et al., 1991, "A Practical and Efficient Method for Synthesis of β–Lactones", J. Org. Chem. 56:1176–1185.

Dansky HM, Fisher EA, 1999, "High–density lipoprotein and plaque regression: the good cholesterol gets even better", Circulation 100(17):1762–3.

Decossin et al., 1997, "Subclasses of LpA–I in coronary artery disease: distribution and cholesterol efflux ability", Eur J Clin Invest. 27(4):299–307.

DeSarlo et al., 1971 "Isoxazolin–5–one", J. Chem Soc.86–89.

Eaton et al., 1972, "Hydroxypropylation", J. Org. Chem. 37:1947–50.

Ehlinger, et al., 1980, "Silicon in Synthesis. 10. The (trimethylsilyl)allyl Anion: A β–Acyl anion equivalent for the conversion of aldehydes and ketones into λ–lactones", J. Am. Chem. Soc. 102:5004–11.

Eisch et al., 1978, "Synthesis of lactones via the titanium–catalyzed hydromagnesiation of alkenols", J. Organo. Met. Chem. 160:C8–C12.

Fielding & Fielding, 1995, "Molecular physiology of reverse cholesterol transport", J Lipid Res. 36(2):211–28.

Fraser et al., 1985, "Acidity measurements in the THF. V.[1] Heteroaromatic compounds containing 5–membered rings", Can. J. Chem 63:3505–09.

Garegg et al., 1980, "Novel Reagent System for converting a Hydroxy–group into an Iodo–group in carbohydrates with Inversion of Configuration", J.C.S. Perkin I 2866–2868.

Gearing et al., 1993, "Interaction of the peroxisome–proliferator–activated receptor and retinoid X receptor", Proc. Natl. Acad. Sci. USA 90(4):1440–1444.

Gigg et al., 1967, "The Preparation of Unsymmetrical Diglycerides", J. Chem. Soc., C, 431–434.

Green and Kehinde, 1975, "An established preadipose cell line and its differentiation in culture. II. Factors affecting the adipose conversion", Cell. 5(1):19–27.

Greene, T.W., 1999, "Protection for the Hydroxyl Group, Including 1,2– and 1,3–Diols", Protective Groups in Organic Synthesis, 3rd Edition 17–245.

Harris and Kletzien, 1994, "Localization of a pioglitazone response element in the adipocyte fatty acid–binding protein gene", Mol Pharmacol. 45(3):439–45.

Hayden and Ma, 1992, "Molecular genetics of human lipoprotein lipase deficiency", Mol Cell Biochem. 113(2):171–6.

Heyman, et al., 1992, "9–cis retinoic acid is a high affinity ligand for the retinoid X receptor", Cell 68(2):397–406.

Hidaka and Fidge, 1992, "Affinity purification of the hepatic high–density lipoprotein receptor identifies two acidic glycoproteins and enables further characterization of their binding properties", Biochem. J. 15(Pt1):161–7.