

# METHOD FOR OBTAINING STRONG ADHESIVE BONDING OF COMPOSITES TO DENTIN ENAMEL AND OTHER SUBSTRATES

## BACKGROUND OF THE INVENTION

### 1. Field of the Invention

This invention was supported in part by USPHS Research grant DE-05129 to the American Dental Association Health Foundation from the National Institute of Dental Research, Bethesda, Md.

This invention relates to methods of improving adhesive bonding, and more particularly to dental restoration methods and methods of improving adhesion of composite dental materials to dentin and enamel. More specifically, methods for durable adhesive bonding of composite resins to dentin are disclosed with the objects of improving treatment of cervical erosions, root caries, and other dental conditions and of eliminating much mechanical cutting of dentin now required for retention of restorations.

### 2. Description of the Prior Art

For many years, advances in the study of methods of adhesive bonding of composite materials to hard tooth tissues have evolved by small increments. Previous experiments in adhesive bonding of composite materials to dentin demonstrated beneficial effects from cleansers, mordants, and adhesion promoting coupling agents; see, for example, Bowen, R. L., "Adhesive Bonding of Various Materials to Hard Tooth Tissues. XXII. The Effects of a Cleanser Mordant, and PolySAC on Adhesion Between a Composite Resin and Dentin," 59 *J. Dent. Res.* 809-814 (1980); Bowen, R. L., "Use of Polyfunctional Surface-Active Comonomer and Other Agents to Improve Adhesion Between a Resin or Composite Material and a Substrate," U.S. Pat. No. 4,251,565, February 1981; Bowen, R. L., "Adhesive Bonding of Various Materials to Hard Tooth Tissues. XIX. Solubility of Dentinal Smear Layer in Dilute Acid Buffers," 28 *Int'l Dent. J.* 97-104 (1978); Bowen, R. L., "Adhesive Bonding of Various Materials to Hard Tooth Tissues. VII. Metal Salts as Mordants for Coupling Agents," in Moskowitz, H.; Ward, G.; & Woolridge, E., (eds.); *Dental Adhesive Materials* 205-221, Proceedings from Symposium held Nov. 8-9, 1973 at the Hunter-Bellevue School for Nursing, New York City, Prestige Graphic Services (1974).

The rationale for using a surface-active comonomer as a coupling agent to improve bonding has been supported by previous data. Bowen, R. L., "Adhesive Bonding of Various Materials to Hard Tooth Tissues. II. Bonding to Dentin Promoted by a Surface-Active Comonomer," 44 *J. Dent. Res.* 895-902 (1965); Bowen, R. L., "Adhesive Bonding of Various Materials to Hard Tooth Tissues. III. Bonding to Dentin Improved by Pretreatment and the Use of a Surface-Active Comonomer," 44 *J. Dent. Res.* 903-905 (1965); Bowen, R. L., "Adhesive Bonding of Various Materials to Hard Tooth Tissues. IV. Bonding to Dentin, Enamel, and Fluorapatite Improved by the Use of a Surface-Active Comonomer," 44 *J. Dent. Res.* 906-911 (1965); Bowen, R. L., "Adhesive Bonding of Various Materials to Hard Tooth Tissues. V. The Effect of a Surface-Active Comonomer on Adhesion to Diverse Substrates," 44 *J. Dent. Res.* 1369-1373 (1965). The addition reaction product of N-phenylglycine and glycidyl methacrylate (NPG-GMA) and the addition reaction product of N-phenylglycine and p-chlorophenyl glycidyl ether

(NPG-CGE) are disclosed, respectively, as vehicles to improve adhesive bonding to a limited extent in Bowen, U.S. Pat. No. 3,200,142, Aug. 10, 1965, and in Bowen, British Pat. No. 1,448,134 and U.S. Pat. No. 3,785,832, Jan. 15, 1974.

Although an acid-etch technique has been effective in beneficiating the bonding of composite and unfilled resins to enamel of teeth, no method has existed for achieving strong adhesive bonding between composite and unfilled resins and dentin. Many investigators have been attempting to achieve significantly enhanced adhesive bonds to both dentin and enamel and various other substrates for well over twenty-five years without adequate success.

## SUMMARY OF THE INVENTION

The present invention comprises materials and methods which appreciably increase the previously obtainable strengths of adhesive bonds between composite materials or resins and dentin in vitro, and also result in effective bonding between these materials or resins and enamel and other substrates. Thus, it is an advantage of this invention to provide materials and methods for improved adhesive bonding of composite and unfilled resins of the type polymerized by free radicals to dentin, enamel, and/or other substrates containing or capable of binding metallic ions (i.e., ions of elements on the left side and in the center of the periodic table). The resulting products are also within the scope of the invention.

Briefly, the method of the invention is preferably accomplished by treating the surface of dentin or enamel with an aqueous solution of at least one acidic salt containing a polyvalent cation which preferably is capable of changing valence by unit steps (univalent changes) and which can bind to dentin or enamel surface sites, and at least one anion which preferably forms a relatively water-insoluble precipitate or precipitates with calcium, and which contains at least one carboxyl group and preferably two or more carboxyl groups. The resultant surface is then treated with a solvent containing at least one compound selected from the group consisting of (1) the adduct of N(p-tolyl)glycine and glycidyl methacrylate ("NTG-GMA"), and (2) the addition reaction product of N-phenylglycine and glycidyl methacrylate ("NPG-GMA"). Finally, a solution is applied which contains at least one compound selected from the group consisting of (1) the addition reaction product of pyromellitic acid dianhydride and 2-hydroxyethyl methacrylate ("PMDM"), (2) the addition reaction product of 3,3',4,4'-benzophenonetetracarboxylic dianhydride and 2-hydroxyethyl methacrylate ("BTDA-HEMA"), and (3) 4-methacryloxyethyltrimellitic anhydride ("4-META"). Alternatively, but less preferred, the contacting with PMDM, BTDA-HEMA and/or 4-META solution may precede the contacting with the NTG-GMA and/or NPG-GMA solution. The order of application of these materials may be otherwise varied, and in some instances application of certain of the materials may be omitted. The components for practicing the method of the invention may be conveniently made available in the form of a kit or article of manufacture.

In a most preferred embodiment of the invention, an aqueous solution of ferric oxalate is contacted with the surface of the dentin or enamel, after which the surface is washed and dried. Subsequent to washing and drying the surface, a solution of NTG-GMA in acetone is con-